

FIG. 20A

| | TEST NO. 1 | |
|-----------------|-------------------------------|-------------------------------|
| TIME | CONVENTIONAL | PRESENT INVENTION |
| TIME Minutes | CUP LID Degrees Fahrenheit | CUP LID Degrees Fahrenheit |
| 0 | 150 | 150 |
| 2 | 148.3 | 148.5 |
| 4 | 146.2 | 147 |
| 6 | 144.3 | 145.3 |
| 8 | 142.9 | 143.9 |
| 10 | 140.9 | 142.3 |
| 12 | 139.1 | 141 |
| 14 | 137.7 | 139.5 |
| 16 | 136.2 | 138.4 |
| 18 | 134.8 | 137 |
| 20 | 133.5 | 135.7 |

FIG. 20B





FIG. 21A

| | TEST NO. 2 | |
|-----------------|-------------------------------|-------------------------------|
| | CONVENTIONAL | PRESENT INVENTION |
| TIME Minutes | CUP LID Degrees Fahrenheit | CUP LID Degrees Fahrenheit |
| 0 | 150 | 150 |
| 2 | 148.4 | 148.5 |
| 4 | 146.5 | 147 |
| 6 | 144.2 | 145.5 |
| 8 | 142.4 | 144.1 |
| 10 | 141.4 | 142.4 |
| 12 | 140 | 141.1 |
| 14 | 138.3 | 139.7 |
| 16 | 136.7 | 138.4 |
| 18 | 135.2 | 137.1 |
| 20 | 134 | 136 |

FIG. 21B




+


FIG. 22A

| | TEST NO. 3 | |
|-----------------|-------------------------------|-------------------------------|
| | CONVENTIONAL | PRESENT INVENTION |
| TIME Minutes | CUP LID Degrees Fahrenheit | CUP LID Degrees Fahrenheit |
| 0 | 150 | 150 |
| 2 | 148.2 | 148.6 |
| 4 | 146.1 | 147.1 |
| 6 | 144.3 | 145.7 |
| 8 | 142.7 | 144.2 |
| 10 | 141 | 142.7 |
| 12 | 139.3 | 141.2 |
| 14 | 137.8 | 139.7 |
| 16 | 136.4 | 138.4 |
| 18 | 134.7 | 137.1 |
| 20 | 133.4 | 135.9 |

FIG. 22B



+



+